

The ideal accoutrement for intimate gardens, alfresco dining settings, bars and restaurants.





Design Features



Environmentally-Friendly

Bioethanol fireplaces use an environmentally-friendly, renewable energy source that burns clean and delivers warming heat. You and your guests will enjoy the ambiance and tranquility of a real fire, without the hassles of burning real wood - no more embers, ash, and soot to clean up.

1. Colour

Available in brushed Stainless Steel finish with a Stainless Steel Burner.

Relocate With Ease

Bioethanol outdoor fireplaces relocate with ease, and this portability is greatly enhanced by the self contained engineering of the EcoSmart system. There is no need for a utility connection, which means you can transform the look and feel of your outdoor entertaining area when desired.

Or, leave your fireplace in a permanent position on the patio and design an enchanting outdoor space using the fireplace as the focal point. It has never been this easy to design a backyard or courtyard that feels so inviting.

2. Glass Fire Screen

The glass screens stabilise the flame in windy conditions and provide an added layer of safety, peace of mind and comfort.

Ground Fixing Brackets

Models come with fixing brackets for permanently locating into a fixed position.

Quick & Easy Installation

With no installation or building works required, simply unpack, put into position, and off you go.

Global Compliance

This model complies with existing standards in the USA, O-TL listed to UL 1370.

Model Not available in all countries.

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which have products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG for use in such applications do a entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.



Accessories

Included



Jerry Can with Safety Spout and e-NRG* bottle adaptor

Jerry Can allows safe storing/ decanting of e-NRG ethanol. The e-NRG adaptor connects the Safety Spout to an e-NRG fuel bottle.



position on the burner. It is also used for the ignition procedure.

Jerry Can Spout Extension

Securely attaches to the Safety Spout, the Extension Spout ensures easy refuelling when there is restricted access to the filling point.

Optional




Outdoor Cover


Take care of and protect your investment by using our high quality protective outdoor covers.

^{*}e-NRG not available in all countries.



Specifications





ESF.O.MNT

Product Dimensions

L 330 mm [13 in] W 330 mm [13 in] H 462 mm [18.2 in]

Weight (approx)

18.9 kg [41.7 lb] Weight includes burner and fire screen.

Product Materials

Grade 304 Stainless Steel Base, Toughened Glass Screen, Grade 304 Stainless Steel Burner

Base Surround Colour

Available in: Stainless Steel



Burner Colour

Available in: Stainless Steel



Burner Ventilation and Efficiency*

Fuel Type	Compatible Burner	Fuel Capacity	Heats on Average (Indoors)	Thermal Output Net (MAX per burner)	Approx. Burn Time	Minimum Room Size	Application ¹
e-NRG Bioethanol e-NRG.com	AB3	2.5 L [0.7 Gals]	Over 20 m² [215 ft²]	6.14 MJ/h, 5,800 BTU/h, 1.7 kW	8 - 11 hours	40 m³ [1,413 ft³]	Outdoor

^{*}These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

For more information please reference the Clearance & Installation Manual

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which have products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG for rany damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

This model comes with fixing brackets for permanently locating into a fixed position.

This model complies with existing standards in the USA, O-TL listed to UL 1370.