


VB2

ecosmar⁺
Fire

Specially created for easy integration into existing fireplaces. A simple and effective way to create a new, modern fireplace.



Design Features



1. Accessory Exclusion Zone

Elevated lip around the burner mouth that stops accessories from sitting over the flame or blocking the shut off procedure. This raised lip includes air holes that allows air to flow smoothly around the fuel to achieve a better flame within the setting.

High Quality

Crafted from high quality, 304 grade stainless steel inside and out, our burners are built to last a lifetime.

VB2 is finished in Black Ceramic Coating, designed to blend with existing fireplaces.

2. Height Adjustable

Adjustable feet level and lift the burner to the best setting depending on the depth of the grill it's being placed within.

Easy Installation

The VB2 burner has several layers of internal features that increases its efficiency including vertical baffles, aspiration vents and dense padding - all of which is built to last a lifetime.

Dual Purpose Lid

A simple lid is used to extinguish the flame and cover the burner opening when it is not in use. This prevents dust from falling into the tank, leaving it clean and safe for use year round.

3. Dedicated Filling Point

A designated, inbuilt filling point to ensure the same procedures can be followed to decrease the likelihood of overfilling.

Clean Burning

Warm your home, not the planet. Powered by e-NRG bioethanol, a sustainable plant-based fuel, VB2 produces no smoke, no soot, and no mess.

No Flue, No Chimney, No Vent

No vent or flue required, which stops heat from escaping. Increase heat output by closing the dampener or sealing off the flue with a metal plate.

Available in 1 Size

The VB2 holds 2 Litres of environmentally-friendly e-NRG bioethanol fuel, providing a flame that burns for up to 6 hours.

Accessories

Included



Jerry Can with Safety Spout and e-NRG bottle adaptor

Jerry Can allows safe storing/decanting of e-NRG ethanol. The e-NRG adaptor connects the Safety Spout to an e-NRG fuel bottle.



Lighting Rod & Lighter

The Lighting Rod is designed to safely adjust the slider position on the burner. It is also used for the ignition procedure.

Optional



Decorative Glass Media

Our decorative Black Glass Charcoal is made from high-quality tempered glass.

Not to be placed directly on top of the burner or anywhere they can interfere with the operation of the burner or the stability of flame.




Plasma Fire Screen

A freestanding Fire Screen supported by stainless steel feet, elevating the screen as if floating, while providing enhanced stability.

*e-NRG not available in all countries.

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Specifications



ESF.B.VB2

Product Dimensions

L 330 mm [13.0 in]
W 110 mm [4.3 in]
D 112.5 mm [4.4 in]

Weight (approx)

1.8 kg [4 lb]

Product Materials

Grade 304 Stainless Steel Burner,
with Black Ceramic Coating

Burner Colour

Black



Burner Ventilation and Efficiency*

Fuel Type	Fuel Capacity	Heats on Average (Indoors)	Fuel Consumption	Thermal Output Net (MAX per burner)	Approx. Burn Time	Minimum Room Size	Application
e-NRG Bioethanol e-NRG.com	2 L [0.5 Gal]	Over 15 m ² [161 ft ²]	0.5 L/h [0.13 Gal/h]	7.24 MJ/h, 6,180 BTU/h, 2.5 kW	6 hours	45 m ³ [1,589 ft ³]	Indoor

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.
Read the manual carefully before operating the burner.
A size template is available to test the burner fits the setting.

For more information please reference the Clearance & Installation Manual

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.